




Accessories package for HPU 001/PC



PFEIFFER 

Accessories package for HPU



Illustration only

Accessories package for HPU 001/PC

- The HPU Communicator software enables the pump parameter records to be displayed and administered on the PC and/or sent via e-mail
- The HPU-PC connection cable (9-pol, D-sub) is used to exchange data between PC and HPU
- Scope of delivery: CD (with HPU Communicator software), HPU-PC connection cable, power supply for HPU, 3 power cord plug adapters (America, UK, Southern Europe)

Technical Data	Accessories package for HPU 001/PC
For	HPU
Ambient temperature	5 – 40 °C
Input voltage(s)	9 – 24 V DC
Weight approx.	0.23 kg 0.51 lb
Power consumption	2 W
Dimensions (L x W x H)	150 x 80 x 30 mm
Weight	0.23 kg

Order number	Accessories package for HPU 001/PC
Accessories package for HPU 001/PC	PM 061 005 -T



Errors and/or changes excepted. - 5/14/2025

Are you looking for an optimum vacuum solution?

Talk to us:

Pfeiffer Vacuum GmbH

Germany

T +49 6441 802-0

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>

Follow Us On Social Media

#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 