




A red pole with multiple white directional signs pointing in various directions, each displaying a distance in kilometers. The signs are for various international destinations including Berlin, Frankfurt, London, and others.

Destination	Distance (km)
Berlin, Germany	630
Frankfurt, Germany	7.124
London, England	8.809
Shanghai, China	10.280
Singapore	1.189
Bucharest, Romania	1.715
Hanoi, Vietnam	8.715
Ho Chi Minh City, Vietnam	9.356
London, England	8.809
Frankfurt, Germany	7.124
Berlin, Germany	630
Shanghai, China	10.280
Singapore	1.189
Bucharest, Romania	1.715
Hanoi, Vietnam	8.715
Ho Chi Minh City, Vietnam	9.356

PFEIFFER 

Centering ring




Illustration only

Centering ring, aluminum, CR, DN 16 ISO-KF

- Material: O-ring in various materials

Dimensions



Technical Data

Technical Data	Centering ring, aluminum, CR, DN 16 ISO-KF
Materials in contact with media	Aluminum EN AW-6061
O-ring material	CR
Temperature range	5 – 120 °C
Connection flange	DN 16 ISO-KF
Temperature range max.	120 °C 248 °F 393.15 K
Temperature range min.	5 °C 23 °F 268.15 K

Order number

Order number	Centering ring, aluminum, CR, DN 16 ISO-KF
Centering ring, aluminum, CR, DN 16 ISO-KF	116ZRG016

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 