




Reducer centering ring, aluminum, NBR, DN 40 ISO-KF



PFEIFFER 

Reducing centering ring




Illustration only

Reducer centering ring, aluminum, NBR, DN 40 ISO-KF

- Material: O-ring in various materials

Dimensions



Technical Data

Reducer centering ring, aluminum, NBR, DN 40 ISO-KF	
Materials in contact with media	Aluminum EN AW-6061
O-ring material	NBR
Nominal diameter reduced	DN 32 ISO-KF
Temperature range	25 – 120 °C
Connection flange	DN 40 ISO-KF / DN 32 ISO-KF
Temperature range max.	120 °C 248 °F 393.15 K
Temperature range min.	25 °C 13 °F 248.15 K

Order number	Reducer centering ring, aluminum, NBR, DN 40 ISO-KF
Reducer centering ring, aluminum, NBR, DN 40 ISO-KF	111ZRR040

Are you looking for an optimum vacuum solution?
Talk to us:
Pfeiffer Vacuum Components & Solutions GmbH Germany
T +49 551 99963-0
info-cs@pfeiffer-vacuum.com

Or scan the barcode, to visit our web page:



<https://webportal.pfeiffer-vacuum.com/global/en/contact>



Errors and/or changes excepted. - 5/14/2025

Follow Us On Social Media
#pfeiffervacuum



www.pfeiffer-vacuum.com

PFEIFFER 