

HiPace 800 M

##



VACUUM SOLUTIONS

###

##

###

##

###

##, #### ## ## ##

####

- ## ###
- ## ###
- ## ###
- ### ##### ##
- ## ## ## ## # ##### ##

- ## ##
- ## ##
- #####
- ## #####
- ## ## ## ##


HiPace 800 M

##



##

##



ISO Hz# #####.

HiPace 800 M, TM 700 ##	
Ar# ## ##	775 l/s
He# ## ##	625 l/s
H## ## ##	500 l/s
N### ##	790 l/s
Ar# ###	1 · 10 ¹¹
He# ###	1 · 10#
H## ###	2 · 10#
N## ###	1 · 10 ¹¹
## ## ##### ## ###, Ar	8 hPa l/s
## ## ##### ## ###, N#	13 hPa l/s
0.1 hPa HV ##### He ## ###	16 hPa l/s
0.1 hPa HV ##### H# ## ###	9 hPa l/s

HiPace 800 M

##



HiPace 800 M, TM 700 ##	
0.1 hPa HV ##### N# ## ###	16 hPa l/s
N## ## ###	8 hPa## 10% ###
## ##	4 ##
## ##### ###	Profibus, Profinet, Ethercat, Devicenet, Semi E74
## ##### ##	RS-485, ##
## ##	##
###(EN ISO 2151)	45 dBA
### ##	17.2 kg
## ###	DN 200 ISO-K/ISO-F/CF-F
## ###	DN 25 ISO-KF /G 1/4"

#####?

#####!
sales.de@pfeiffer-vacuum.com ## +49 (0)6441 802-1222



##



#####.