

HiPace 800 H

##



VACUUM SOLUTIONS

###

##, # ## ##, ## ##

###

##

###

##, ### # ##### ##

####

- ## ###
- ## ###
- ## ###
- ### ##### ##
- ## ## ## ## # ##### ##

- ## ##
- #####
- ## #####
- ## ## ## ##
- ## ##

HiPace 800 H


##



VACUUM SOLUTIONS

##

##



ISO Hz# #####.

HiPace 800 H, TC 400 ##	
Ar# ## ##	780 l/s
He# ## ##	700 l/s
H## ## ##	580 l/s
N### ##	790 l/s
Ar# ###	1 · 10 ¹³
He# ###	1 · 10#
H## ###	2 · 10#
N## ###	1 · 10 ¹³
## ## ##### ## ###, Ar	2 hPa l/s
## ## ##### ## ###, He	18 hPa l/s
## ## ##### ## ###, H#	14 hPa l/s
## ## ##### ## ###, N#	3.5 hPa l/s

HiPace 800 H

##



HiPace 800 H, TC 400 ##	
N## ## ###	22 hPa## 10% ###
## ##	2 ##
## ##### ##	Profibus, Profinet, Ethercat, Devicenet, Semi E74
## ##### ##	RS-485, ##
## ##	##
###(EN ISO 2151)	50 dBA
### ##	12.8 kg
## ###	DN 200 ISO-K/ISO-F/CF-F
## ###	DN 25 ISO-KF /G 1/4"

#####?

###!
sales.de@pfeiffer-vacuum.com ## +49 (0)6441 802-1222



##



#####.